# **EPHRAIM MOGALE LOCAL MUNICIPALITY**



# REQUEST FOR GOODS & SERVICES (R30 000 UP TO R200 000)

**QUOTATION NO: 8/2/124** 

# PROJECT DESCRIPTION: SUPPLY AND DELIVERY OF 20 KWH PREPAID METERS AND 30 KWH METERS

# PREPARED FOR AND BY THE MUNICIPAL MANAGER EPHRAIM MOGALE LOCAL MUNICIPALITY P O Box 111 MARBLE HALL

Tel: (013) 261 8400 Fax: (013) 261 2985

0450

Name of Bidder	;
CSD No	:
Total Bid Price	<b>:</b>

#### **SUBMISSION DETAILS**

#### **TENDER BOX:**

EPHRAIM MOGALE LOCAL MUNICIPALITY 2 FICUS STREET (ENTRANCE TO FINANCE AND TECHNICAL BUILDING) MARBLE HALL, 0450 (LIMPOPO)

# CLOSING DATE AND TIME:

**WEDNESDAY, 17 NOVEMBER 2021 @ 12H00** 

# **EPHRAIM MOGALE LOCAL MUNICIPALITY**

**QUOTATION NO: 8/2/124** 

# PROJECT DESCRIPTION: SUPPLY AND DELIVERY OF 20 KWH PREPAID METERS AND 30 KWH METERS

Ephraim Mogale Local Municipality hereby invites quotations from suitably qualified and interested service providers who meet the required minimum specifications for the **Supply and Delivery of 20 kWh Prepaid Meters And 30 kWh Meters.** 

Only bidders who meet the required minimum threshold for local content and production of 50% for SMART Meters and 70% for Residential Prepaid Meters will be considered.

Quotations may only be submitted on the quotation document issued. The quotation document will be available at the Supply Chain Management Unit of the Ephraim Mogale Local Municipality and on the Municipal website <a href="https://www.ephraimmogalelm.gov.za">www.ephraimmogalelm.gov.za</a>

Quotations must be in writing and must clearly indicate the relevant supply or service for which is being quoted and be submitted in a sealed envelope be dropped in the tender box as indicated on the cover page. Late or unmarked quotations will not be considered. Bids transmitted by fax or e-mail will not be accepted, although Ephraim Mogale Local Municipality accepts no responsibility for ensuring that quotations are timeously received by Ephraim Mogale Local Municipality.

## **Quotations will not be considered unless the following information has been furnished:**

- i. The Central Supplier Database report with an active "MAAA" number and active Business status (CSD supplier number to be indicated on the cover page and MBD 1);
- ii. PIN to verify status issued by SARS (indicated on the MBD 1);
- iii. Proof of Municipal Rates & Taxes or Service Charges:
  - ✓ of the company and all company directors not older than 3 (three) months and not be in arrears for more than 90 days; or
  - ✓ if leasing, a signed valid lease agreement in case of company/director(s) along with municipal account of the leased property; or
  - ✓ a confirmation letter from local municipality that confirms that services are not levied/charged in the name of the company and the director(s) which should not be older than three months.
- iv. Original/certified copy of B-BBEE certificate issued by a SANAS accredited agency or valid original sworn affidavit from commissioner of oaths or original/certified CIPC sworn affidavit.
- v. Proof of CIDB registration (N.B: if required for the specific project)
- vi. Letter of Good Standing from Dept. of Labour in terms of Compensation for Occupational Injuries and Disease Act / Letter to Tender. (N.B: if required for the specific project)
- vii. In case of a Joint Venture, Association or Consortium a formal signed agreement by all parties along with all relevant attachments for all parties in the agreement and consolidated B-BBEE certificate (sworn affidavits will not be accepted).
- viii. Fully completed and signed municipal bidding documents:
  - ✓ MBD 1 Invitation to Bid.
  - ✓ MBD 4 Declaration of Interest
  - ✓ MBD 6.1 Preferential Points Claim form in terms of PPR 2017
  - ✓ **MBD 6.2** Local Content and Production
  - ✓ MBD 8 Declaration of Bidders Past SCM Practices
  - ✓ **MBD 9** Certificate of Independent Bid Determination

Your quotation will be rejected if the above is not fully compliant with.

#### Quotations will not be considered:

- ix. If a natural person, whether he or she is in the service of the state, or has been in the service of the state in the previous twelve months; or
- x. if not a natural person, whether any of its directors, managers, principal shareholders or stakeholders is in the service of the state, or has been in the service of the state in the previous twelve months; or
- xi. Whether a spouse, child or parent of the provider or of a director, manager, shareholder or stakeholder referred to in (vii) is in the service of the state or has been in the service of the state in the previous twelve months.

#### **Evaluation of Quotations**

Notice is drawn to the fact that the awarding of this quotation will be in terms of the Supply Chain Management Policy of the Ephraim Mogale Local Municipality and prescribed evaluation criteria in terms of the Municipal Supply Chain Management Regulations, 2005 and Preferential Procurement Regulations of 2017.

## **Evaluation points**

Preference points for this bid shall be awarded for:

- (a) Price; and
- (b) B-BBEE Status Level of Contribution.

The maximum points for this quotation are allocated as follows:

	Points
Price	80
B-BBEE Status Level of Contribution.	20
Total points for price and BBEEE	100

For bidders to claim points for BBBEE status level of contribution, bidders are required to submit original and valid B-BBEE Status Level Verification Certificates or certified copies thereof or the sworn affidavit to substantiate their B-BBEE rating claim. Failure to submit such a certificate will result in a bidder not qualifying for preference points for B-BBEE.

Points will be awarded to a bidder for attaining the B-BBEE status level of the contributor

B-BBEE Status Level of Contributors (System)	Number of points (80 - 20)
1.	20
2.	18
3.	14
4.	12
5.	8
6.	6
7.	4
8.	2
Non-compliance Contributor	0

#### **Pricing and Validity**

The pricing of the quotation should be in South African Rands (ZAR) and be valid for 90 days from the closing date

For any administrative enquiries you can contact the Supply Chain Management Unit at 013 261 8450/8462/8496/8448. Technical queries can be directed to Mr Johan Durie at 013 261 8454 / jdurie@emogalelm.gov.za.

Ephraim Mogale Local Municipality does not bind itself to accept the lowest or any bid and reserves the right to accept any bid as a whole or in part.

MATLADI S.T. MUNICIPAL MANAGER

# **EPHRAIM MOGALE LOCAL MUNICIPALITY**

**QUOTATION NO: 8/2/124** 

# PROJECT DESCRIPTION: SUPPLY AND DELIVERY OF 20 KWH PREPAID METERS AND 30 KWH METERS

Ephraim Mogale Local Municipality hereby invites quotations from suitably qualified and interested service providers who meet the required minimum specifications for the **Supply and Delivery of 20 kWh Prepaid Meters And 30 kWh Meters**.

All equipment must be SABS, EC or EN approved and prepaid meters must be STS compliant. The products must have a 12-month supplier warranty.

If the Municipality is not already in the possession of the engineering software tool to trouble shoot meters through an optical probe it must be supplied with the meters.

- 1. MUST BE STS 6 COMPLIANT
- 2. MUST BE ABLE TO BE PROGRAMMED TO KR2 (2024 roll over)
- 3. SOFTWARE TO PROGRAM AND DOWNLOAD METERS MUST BE INCLUDED WITH UNLIMITED LICENSE
- 4. OPTICAL PROBE WITH USB CONNECTION MUST BE PROVIDED

## A. KWH PREPAID METERS:

No	Description	Unit	Qty
1.	kWh, single phase, split, PLC meter – BS footprint with customer interface unit.	No	10
	Specifications		
	1. Prepaid		
	Minimum of 70% Local content and production		
	3. Meter must have a LCD display		
	Terminations according to BS standard		
	Communication between meter and keypad must be PLC multi channel		
	6. 1 phase 230V		
	7. Class 1		
	Operate with a remote Separate keypad		
	9. STS 6 compliant		
	10. SANS 1524-1 and IEC 62055-31 compliant		
	11. Keypad distance at least 130m		
	12. Meter must be immune to tampering with CIU		
	13. Optical Interface – IEC 62056-21 compliant optical communication port		
	14. 12 month warranty		
	15. Local and remote reading functionality – open protocol to allow Ethernet, RF		
	Mesh, PLC, 2G and 3G technology		
	16. Load control up to 80A		
	17. Cover over terminals that can be sealed with anti-tamper switch		
	18. Software to retrieve and program data must be included with an unlimited free		
	license.		
	Customer interface:		
	1. LCD display		
	2. PLC communication		
	Display must be readable without main power		

	4. Language in the analysis to the first		
	4. Language independent user interface		
	5. Able to handle 6kV voltage surge.		
	6. 12 month warranty		
2	kWh, single phase, split, PLC meter – DIN with customer interface unit.	No	7
	Specifications		
	Must be the same manufacturer as item 1 for compatibility of customer interface		
	units.		
	2. Prepaid		
	Minimum of 70% Local content and production		
	4. Communication between meter and keypad must be PLC multi channel		
	5. 1 phase 230V		
	6. Class1		
	7. Operate with a remote Separate keypad		
	8. STS 6 compliant		
	9. SANS 1524-1 and IEC 62055-31 compliant 10. Keypad distance at least 130m		
	11. Meter must be immune to tampering with CIU		
	12. Local communication: Optical Interface – IEC 62056-21 compliant optical		
	communication port		
	13. 12 month warranty		
	14. Remote reading functionality – open protocol to allow PLC and MBUS		
	technology		
	15. Load control up to <b>80A</b>		
	16. Meter cover open detection		
	17. Cover over terminals that can be sealed with anti-tamper switch		
	18. Software to retrieve and program data must be included with an unlimited free		
	license.		
	Customer interface:		
	19. LCD display		
	20. PLC communication		
	21. Display must be readable without main power 22. Language independent user interface		
	23. Able to handle 6kV voltage surge.		
	24. 12 month warranty		
	·		•
3	kWh, three phase, split, PLC meter with customer interface unit.	No	3
	Specifications		
	1) Prepaid 2) Minimum of 70% Local content and production		
	2) Minimum of 70% Local content and production 3) Motor must have a LCD display		
	Meter must have a LCD display     Terminations according to BS standard		
	5) Communication between meter and keypad must be PLC multi channel		
	6) 3 phase 230V/400V, 4 wire		
	7) Class 1		
	8) Operate with a remote Separate keypad		
	9) STS 6 compliant		
	10) SANS 1524-1 and IEC 62055-31 compliant		
	11) Keypad distance at least 130m		
	12) Meter must be immune to tampering with CIU		
	13) Optical Interface – IEC 62056-21 compliant optical communication port		
	14) 12 month warranty		
	15) Local and remote reading functionality – open protocol to allow Ethernet, RF		
	Mesh, PLC, 2G and 3G technology		

	<ul> <li>16) Load control up to 100A</li> <li>17) Cover over terminals that can be sealed with anti-tamper switch</li> <li>18) Software to retrieve and program data and optical probe if Municipality is not already in possession of suitable software and probe.</li> <li>19) Software to retrieve and program data must be included with an unlimited free license.</li> <li>Customer interface: <ol> <li>LCD display</li> <li>PLC communication</li> <li>Display must be readable without main power</li> <li>Language independent user interface</li> <li>Able to handle 6kV voltage surge.</li> <li>12 month warranty</li> </ol> </li> </ul>		
4	Optical IR probe for communication	No	1
	1. USB connection		
	<ul><li>2. Magnet connection on probe face</li><li>3. IR probe head to fit</li></ul>		
	a. Landis and Gyr Gemini		
	b. Actom/Holley		
	c. Hexing		
	d. Conlog		

# B. KWH METERS

All equipment must be SABS, EC or EN approved. The supplier should attach a warranty statement for their products - Attachment A.

No	Description	Unit	Qty
1	Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG)  1. Load capacity – 80Amp direct 2. Display: 7 digit LCD display 3. Din mount meter 4. Class 1 5. Space/size: 2 x modules wide(width 35mm). 6. Supply on top. Load at the bottom. 7. 12 month warranty	No	12
2	<ul> <li>Meter, Business Electronic kWh, three phase meters - Slimline or miniature: (similar to ACORP DEM 021 SJ).</li> <li>1. Load capacity ≥80Amp direct</li> <li>2. Display: 7 digit LCD display,</li> <li>3. Din mount meter</li> <li>4. Class 1</li> <li>5. Space/size: 4 x modules wide(width 70mm)</li> <li>6. Supply on top. Load at the bottom.</li> <li>7. 12 month warranty, required space 4m(width 70mm).</li> </ul>	No	16
3	Meter, SMART, Electronic, single phase meters (similar to Elster AS 220)  Specification:  1. Minimum of 50% Local content and production (certified) 2. 230V (-20%, 15%)	No	2

# **EPHRAIM MOGALE LOCAL MUNICIPALITY**

**QUOTATION NO: 8/2/124** 

**PRICING SCHEDULE:** 

PROJECT DESCRIPTION: SUPPLY AND DELIVERY OF 20 KWH PREPAID

**METERS AND 30 KWH METERS** 

#### **Conditions:**

- All prices quoted should be VAT inclusive (for Vat vendors)
- Prices should be valid for a 90 day period
- If the pricing schedule is not signed the quotation will not be considered

Name of Bidder:
Contact Person:
Tel / Cell No:
Email Address:
Business Address:

No	Description	Unit	Quantity	Unit Price	Total
A	A. KWH PREPAID METERS				
A.1	kWh, single phase, split, PLC meter – BS footprint with customer interface unit.	No	10		
	<ol> <li>Specifications         <ol> <li>Prepaid</li> <li>Minimum of 70% Local content and production</li> <li>Meter must have a LCD display</li> <li>Terminations according to BS standard</li> <li>Communication between meter and keypad must be PLC multi channel</li> <li>1 phase 230V</li> <li>Class 1</li> <li>Operate with a remote Separate keypad</li> <li>STS 6 compliant</li> <li>SANS 1524-1 and IEC 62055-31 compliant</li> <li>Keypad distance at least 130m</li> <li>Meter must be immune to tampering with CIU</li> <li>Optical Interface – IEC 62056-21 compliant optical communication port</li> <li>12 month warranty</li> <li>Local and remote reading functionality – open protocol to allow Ethernet, RF Mesh, PLC, 2G and 3G technology</li> <li>Load control up to 80A</li> <li>Cover over terminals that can be sealed with antitamper switch</li> </ol> </li> <li>Software to retrieve and program data must be included with an unlimited free license.</li> </ol>				

				T	Г
	Customer interface: 1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty				
A.2	kWh, single phase, split, PLC meter - DIN with customer interface unit.	No	7		
	<ol> <li>Specifications         <ol> <li>Must be the same manufacturer as item 1 for compatibility of customer interface units.</li> <li>Prepaid</li> <li>Minimum of 70% Local content and production</li> <li>Communication between meter and keypad must be PLC multi channel</li> <li>1 phase 230V</li> <li>Class1</li> <li>Operate with a remote Separate keypad</li> <li>STS 6 compliant</li> <li>Keypad distance at least 130m</li> <li>Meter must be immune to tampering with CIU</li> <li>Local communication: Optical Interface – IEC 62056-21 compliant optical communication port</li> <li>13) 12 month warranty</li> <li>Remote reading functionality – open protocol to allow PLC and MBUS technology</li> <li>Load control up to 80A 16) Meter cover open detection</li> <li>Cover over terminals that can be sealed with antitamper switch</li> </ol> </li> <li>Software to retrieve and program data must be included with an unlimited free license.</li> </ol>				
	Customer interface: 1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty				
A.3	kWh, three phase, split, PLC meter with customer interface unit.	No	3		
	Specifications 1) Prepaid 2) Minimum of 70% Local content and production 3) Meter must have a LCD display 4) Terminations according to BS standard 5) Communication between meter and keypad must be PLC multi channel 6) 3 phase 230V/400V, 4 wire				

7) Class 1 8) Operate with a remote Separate keypad 9) STS 6 compliant 10) SANS 1524-1 and IEC 62055-31 compliant 11) Keypad distance at least 130m 12) Meter must be immune to tampering with CIU 13) Optical Interface – IEC 62056-21 compliant optical communication port 14) 12 month warranty 15) Local and remote reading functionality – open protocol to allow Ethernet, RF Mesh, PLC, 2G and 3G technology 16) Load control up to 100A 17) Cover over terminals that can be sealed with antitamper switch 18) Software to retrieve and program data and optical probe if Municipality is not already in possession of suitable software and probe. 19) Software to retrieve and program data must be included with an unlimited free license.  Customer interface: 1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4  Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Silmiline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty						
9) STS 6 compliant 10) SANS 1524-1 and IEC 62055-31 compliant 11) Keypad distance at least 130m 12) Meter must be immune to tampering with CIU 13) Optical Interface – IEC 62056-21 compliant optical communication port 14) 12 month warranty 15) Local and remote reading functionality – open protocol to allow Ethernet, RF Mesh, PLC, 2G and 3G technology 16) Load control up to 100A 17) Cover over terminals that can be sealed with antitamper switch 18) Software to retrieve and program data and optical probe if Municipality is not already in possession of suitable software and probe. 19) Software to retrieve and program data must be included with an unlimited free license.  Customer interface: 1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actorn/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top, Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		,				
10) SANS 1524-1 and IEC 62055-31 compliant 11) Keypad distance at least 130m 12) Meter must be immune to tampering with CIU 13) Optical Interface – IEC 62056-21 compliant optical communication port 14) 12 month warranty 15) Local and remote reading functionality – open protocol to allow Ethernet, RF Mesh, PLC, 2G and 3G technology 16) Load control up to 100A 17) Cover over terminals that can be sealed with anti-tamper switch 18) Software to retrieve and program data and optical probe if Municipality is not already in possession of suitable software and program data must be included with an unlimited free license.  19) Software to retrieve and program data must be included with an unlimited free license.  1 LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landls and Gyr Gemini b. Actom/Holley c. Hexing Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		Operate with a remote Separate keypad				
11) Keypad distance at least 130m 12) Meter must be immune to tampering with CIU 13) Optical Interface – IEC 62056-21 compliant optical communication port 14) 12 month warranty 15) Local and remote reading functionality – open protocol to allow Ethernet, RF Mesh, PLC, 2G and 3G technology 16) Load control up to 100A 17) Cover over terminals that can be sealed with antitamper switch 18) Software to retrieve and program data and optical probe if Municipality is not already in possession of suitable software and probe. 19) Software to retrieve and program data must be included with an unlimited free license.  Customer interface: 1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		9) STS 6 compliant				
12) Meter must be immune to tampering with CIU 13) Optical Interface – IEC 62056-21 compliant optical communication port 14) 12 month warranty 15) Local and remote reading functionality – open protocol to allow Ethernet, RF Mesh, PLC, 2G and 3G technology 16) Load control up to 100A 17) Cover over terminals that can be sealed with antitamper switch 18) Software to retrieve and program data and optical probe if Municipality is not already in possession of suitable software and probe. 19) Software to retrieve and program data must be included with an unlimited free license.  Customer interface: 1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80 Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		10) SANS 1524-1 and IEC 62055-31 compliant				
12) Meter must be immune to tampering with CIU 13) Optical Interface – IEC 62056-21 compliant optical communication port 14) 12 month warranty 15) Local and remote reading functionality – open protocol to allow Ethernet, RF Mesh, PLC, 2G and 3G technology 16) Load control up to 100A 17) Cover over terminals that can be sealed with antitamper switch 18) Software to retrieve and program data and optical probe if Municipality is not already in possession of suitable software and probe. 19) Software to retrieve and program data must be included with an unlimited free license.  Customer interface: 1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80 Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		11) Keypad distance at least 130m				
13) Optical Interface – IEC 62056-21 compliant optical communication port 14) 12 month warranty 15) Local and remote reading functionality – open protocol to allow Ethernet, RF Mesh, PLC, 2G and 3G technology 16) Local control up to 100A 17) Cover over terminals that can be sealed with antitamper switch 18) Software to retrieve and program data and optical probe if Municipality is not already in possession of suitable software and probe. 19) Software to retrieve and program data must be included with an unlimited free license.  Customer interface: 1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5, Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -						
communication port 14) 12 month warranty 15) Local and remote reading functionality — open protocol to allow Ethernet, RF Mesh, PLC, 2G and 3G technology 16) Load control up to 100A 17) Cover over terminals that can be sealed with antitamper switch 18) Software to retrieve and program data and optical probe if Municipality is not already in possession of suitable software and probe. 19) Software to retrieve and program data must be included with an unlimited free license.  Customer interface: 1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase — Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity — 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		, ,				
14) 12 month warranty 15) Local and remote reading functionality — open protocol to allow Ethernet, RF Mesh, PLC, 2G and 3G technology 16) Load control up to 100A 17) Cover over terminals that can be sealed with antitamper switch 18) Software to retrieve and program data and optical probe if Municipality is not already in possession of suitable software and probe. 19) Software to retrieve and program data must be included with an unlimited free license.  Customer interface: 1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase — Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		, .				
15) Local and remote reading functionality — open protocol to allow Ethernet, RF Mesh, PLC, 2G and 3G technology 16) Load control up to 100A 17) Cover over terminals that can be sealed with antitamper switch 18) Software to retrieve and program data and optical probe if Municipality is not already in possession of suitable software and probe. 19) Software to retrieve and program data must be included with an unlimited free license.  Customer interface: 1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase — Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -						
protocol to allow Ethernet, RF Mesh, PLC, 2G and 3G technology 16) Load control up to 100A 17) Cover over terminals that can be sealed with antitamper switch 18) Software to retrieve and program data and optical probe if Municipality is not already in possession of suitable software and probe. 19) Software to retrieve and program data must be included with an unlimited free license.  Customer interface: 1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -						
3G technology 16) Load control up to 100A 17) Cover over terminals that can be sealed with antitamper switch 18) Software to retrieve and program data and optical probe if Municipality is not already in possession of suitable software and probe. 19) Software to retrieve and program data must be included with an unlimited free license.  Customer interface: 1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters –						
16) Load control up to 100A 17) Cover over terminals that can be sealed with antitamper switch 18) Software to retrieve and program data and optical probe if Municipality is not already in possession of suitable software and probe. 19) Software to retrieve and program data must be included with an unlimited free license.  Customer interface: 1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  B. I Meter, Business Electronic kWh, single phase – Slimiline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		·				
17) Cover over terminals that can be sealed with anti- tamper switch  18) Software to retrieve and program data and optical probe if Municipality is not already in possession of suitable software and probe.  19) Software to retrieve and program data must be included with an unlimited free license.  Customer interface: 1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters –		•				
tamper switch  18) Software to retrieve and program data and optical probe if Municipality is not already in possession of suitable software and probe.  19) Software to retrieve and program data must be included with an unlimited free license.  Customer interface:  1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Silimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -						
18) Software to retrieve and program data and optical probe if Municipality is not already in possession of suitable software and probe.  19) Software to retrieve and program data must be included with an unlimited free license.  Customer interface:  1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide (width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		,				
probe if Municipality is not already in possession of suitable software and probe.  19) Software to retrieve and program data must be included with an unlimited free license.  Customer interface:  1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -						
suitable software and probe.  19) Software to retrieve and program data must be included with an unlimited free license.  Customer interface:  1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		,				
19) Software to retrieve and program data must be included with an unlimited free license.  Customer interface: 1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -						
included with an unlimited free license.  Customer interface:  1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimiline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -						
Customer interface:  1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		· •				
1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		included with an unlimited free license.				
1) LCD display 2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		Overteen an intent				
2) PLC communication 3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -						
3) Display must be readable without main power 4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		,				
4) Language independent user interface 5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		,				
5) Able to handle 6kV voltage surge. 6) 12 month warranty  A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		, , ,				
A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -						
A.4 Optical IR probe for communication 4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actorn/Holley c. Hexing Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		,				
4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		6) 12 month warranty				
4. USB connection 5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -						
5. Magnet connection on probe face 6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -	A.4	-	No	1		
6. IR probe head to fit a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -						
a. Landis and Gyr Gemini b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG) 1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -						
b. Actom/Holley c. Hexing  Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG)  1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		6. IR probe head to fit				
Conlog  B. KWH METERS  B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG)  1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -						
B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG)  1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		b. Actom/Holley				
B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG)  1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		c. Hexing				
B.1 Meter, Business Electronic kWh, single phase – Slimline or miniature: (similar to ACORP DEM 015 SG)  1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		Conlog				
Slimline or miniature: (similar to ACORP DEM 015 SG)  1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -	B. K	WH METERS				
Slimline or miniature: (similar to ACORP DEM 015 SG)  1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -	D 4	Motor Business Electronic I/Mb single phase		I	1	
1) Load capacity – 80Amp direct 2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty   B.2 Meter, Business Electronic kWh, three phase meters -	<b>D.</b> 1					
2) Display: 7 digit LCD display 3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty   B.2 Meter, Business Electronic kWh, three phase meters -						
3) Din mount meter 4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -						
4) Class 1 5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		, , , , , ,				
5) Space/size: 2 x modules wide(width 35mm). 6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		-,	No	12		
6) Supply on top. Load at the bottom. 7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -		,				
7) 12 month warranty  B.2 Meter, Business Electronic kWh, three phase meters -						
B.2 Meter, Business Electronic kWh, three phase meters -		, , , , ,				
		7) 12 month warranty				
	B.2					
		Slimline or miniature: (similar to ACORP DEM 021 SJ).				
1) Load capacity ≥80Amp direct		· · · · · · · · · · · · · · · · · · ·				
2) Display: 7 digit LCD display, No 16		, , , , , , , , , , , , , , , , , , , ,	No	16		
3) Din mount meter		,				
4) Class 1		,				
5) Space/size: 4 x modules wide(width 70mm)						
6) Supply on top. Load at the bottom.	. '	6) Supply on top I gad at the bottom				
5) Space/size: 4 x modules wide(width 70mm)		5) Space/size: 4 x modules wide(width 70mm)				

	7) 12 month warranty, required space 4m (width 70mm).			
	, and the second			
B.3	Meter, SMART, Electronic, single phase meters (similar to Elster AS 220) Specification:  1) Minimum of 50% Local content and production (certified) 2) 230V (-20%, 15%) 3) Large digit (9mm) multilingual display with chevron information indication 4) Accuracy Class 1 5) DIN or BS double insulated, glass filled polycarbonate case 6) 12kV impulse withstand 7) Permanently fixed main cover 8) High security, compact design 9) IP53 in accordance with IEC 60529:1989 10) IrDA or IEC 62056-21 (Formerly IEC 1107) comms 11) 20 years product life 12) Functions: a. kWh Import i. 4 tariff blocks ii. 12 seasons iii. 30 special days iv. Calendar b. kWh Export c. Load profile for billing data i. 30min load profile for 3 months d. Reverse run e. Energy total f. Energy count g. Power fail count h. Elapse count i. Instantaneous measurement i. Voltage ii. Current iii. Active power iv. Power factor j. Hours in anti-creep k. Extensive security data 13) 12 month warranty 14) Software must be included.	No	2	
4	Optical interface / connection to USB	No	1	
5	DIN Mounting Rail – 35mm x7.5mm x 1  • 2meter length  • Anodised aluminium  Slotted	No	4	
6	Drill Bit, - Ø5mm, Cobalt for steel	No	4	
7	Pop Rivet, Ø4.8mm x 10mm, aluminium	No	50	

20 KWH Prepaid Meters and 30 KWH Meters

3	Screws, self-drilling, electroplated, Ø6mm by 15mm	No	50		
			SU	IB-TOTAL	
				VAT	
			GRAN	ID TOTAL	
	ESTIMATED DELIVERY PERIOD AFTER APPOINTME	ENT:		DAYS	
	SIGNATURE		DATE		

# **PART A**

# **INVITATION TO BID**

YOU ARE HEREBY INVITED TO BID FOR RI	QUIREMENTS	OF THE EPHRAIM	MOGA	LE LOCAL MU	NICIPA	ALITY	
BID NUMBER: <b>8/2/124</b>	CLOSING D	ATE: <b>17/11/202</b>	1	CLOS	ING T	IME: <b>12:00</b>	
DESCRIPTION   SUPPLY AND DELIVERY							
THE SUCCESSFUL BIDDER WILL BE REQU			ITTEN	CONTRACT FO	ORM (N	/IBD7).	
BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT;							
EPHRAIM MOGALE LOCAL MUNICIPALITY	(BUDGET & TR	EASURY AND TEC	HNICA	L BUILDING)			
NO. 2 FICUS STREET							
MARBLE HALL							
0450							
NOTE: THE BID BOX IS ONLY ACCESSIBLE	MON - FRI DU	RING OFFICE HOU	RS (08	:00 TO 16:30)			
SUPPLIER INFORMATION							
NAME OF BIDDER							
POSTAL ADDRESS							
STREET ADDRESS							
TELEPHONE NUMBER	CODE			NUMBER			
CELLPHONE NUMBER							
FACSIMILE NUMBER	CODE			NUMBER			
E-MAIL ADDRESS							
VAT REGISTRATION NUMBER							
TAX COMPLIANCE STATUS	TCS PIN:		_	CSD No:	MAA	AA	
				BEE STATUS EL SWORN			
B-BBEE STATUS LEVEL VERIFICATION				IDAVIT			
CERTIFICATE   [TICK APPLICABLE BOX]	☐ Yes		[TIC		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Yes	
[TION AFT EIGABLE BOX]				LICABLE	١_,		
[A B-BBEE STATUS LEVEL VERIFICAT	No CERTIFIC	ATF/ SWORN AF	BOX		1 <u> </u>		
IN ORDER TO QUALIFY FOR PREFERE		FOR B-BBEE]		·			
ARE YOU THE ACCREDITED	   □v			OU A FOREIG			
REPRESENTATIVE IN SOUTH AFRICA	□Yes	□No		D SUPPLIER F 300DS /SERVI		☐Yes ☐No	
FOR THE GOODS /SERVICES /WORKS OFFERED?	[IF YES ENCL	OSE PROOF]		KS OFFERED?		[IF YES, ANSWER PART B:3]	
OFFERED?	_	-				-	
TOTAL NUMBER OF ITEMS OFFERED			TOTA	L BID PRICE		R	
SIGNATURE OF BIDDER							
SIGNATURE OF BIDDER			DATE				
CAPACITY UNDER WHICH THIS BID IS SIGNED							
BIDDING PROCEDURE ENQUIRIES MAY BE	DIRECTED TO	······································	TECH	INICAL INFOR	ΜΑΤΙΟ	N MAY BE DIRECTED TO:	
DEPARTMENT	SUPPLY CHA			TACT PERSON		Johan Durie	
CONTACT PERSON	JOSEPH MAD			PHONE NUMB		013 261 8454	
TELEPHONE NUMBER	013 261 8450			SIMILE NUMBE		013 261 2985	
FACSIMILE NUMBER	013 261 2985		E-MA	IL ADDRESS	j	durie@emogalelm.gov.za	
E-MAIL ADDRESS	jmadisha@em	ogalelm.gov.za					

# PART B TERMS AND CONDITIONS FOR BIDDING

	121411071112 0011211101101101					
1.	BID SUBMISSION:					
1.1.	BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.					
1.2.	ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROV	/IDED-(NOT TO BE RE-TYPED) OR ONLINE				
1.3.	THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.					
2.	TAX COMPLIANCE REQUIREMENTS					
2.1	BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGA	TIONS.				
2.2	BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAN					
2.3	APPLICATION FOR THE TAX COMPLIANCE STATUS (TCS) CERTIFICATE OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA.					
2.4	FOREIGN SUPPLIERS MUST COMPLETE THE PRE-AWARD QUES	TIONNAIRE IN PART B:3.				
2.5	BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGI	ETHER WITH THE BID.				
2.6	IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.					
2.7	WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERE (CSD), A CSD NUMBER MUST BE PROVIDED.	D ON THE CENTRAL SUPPLIER DATABASE				
3.	QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS					
3.1.	IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRIC	CA (RSA)? ☐ YES ☐ NO				
3.2.	DOES THE ENTITY HAVE A BRANCH IN THE RSA?	☐ YES ☐ NO				
3.3.	DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE	E RSA? ☐ YES ☐ NO				
3.4.	DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?	YES NO				
3.5.	IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION	N? YES NO				
COV	IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 ABOVE.					
	AILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY REIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF T					
SIGN	NATURE OF BIDDER:					

Quote: 8/2/124

DATE:

CAPACITY UNDER WHICH THIS BID IS SIGNED:

#### **DECLARATION OF INTEREST**

- 1. No bid will be accepted from persons in the service of the state<sup>1</sup>.
- 2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position relation to the evaluating/adjudicating authority and/or take an oath declaring his/her interest.

3. In order to give effect to the above, the following questionnaire must be completed

	and submitted with the bid. Also select the applicable answer	rs 🗹
3.1	Full Name of bidder or his or her representative:	
3.2	Identity Number:	
3.3	Position occupied in the Company (director, trustee, shareholder	<sup>2</sup> )
3.4	Company Registration Number:	
3.5	Tax Reference Number:	
3.6	VAT Registration Number:	
3.7	The names of all directors / trustees / shareholders members numbers and state employee numbers must be indicated in para	
3.8	Are you presently in the service of the state*	YES 🗌 / NO 🗀
	3.8.1 If yes, furnish particulars.	
¹MS	SCM Regulations: "in the service of the state" means to be –	

- (a) a member of -
- (i) any municipal council;
- (ii) any provincial legislature: or
- (iii) the national Assembly or the national Council of provinces;
- (b) a member of the board of directors of any municipal entity;
- (c) an official of any municipality or municipal entity;
- (d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);
- (e) a member of the accounting authority of any national or provincial public entity; or
- (f) an employee of Parliament or a provincial legislature.
- <sup>2</sup> Shareholder" means a person who owns shares in the company and is actively involved in the management of the company or business and exercises control over the company

3.9	8.9 Have you been in the service of the state for the past twelve months? YES				
	3.9.1	If yes, furnish particulars			
3.10		have any relationship (family, friend, other) with person in the see and who may be involved with the evaluation and or adjudication			
	3.10.1	If yes, furnish particulars			
3.11		, aware of any relationship (family, friend, other) between bidder ervice of the state who may be involved with the evaluation and a			
	3.11.1	If yes, furnish particulars			
3.12		of the company's directors, managers, principle shareholders of the state?	r stakeholders in YES  / NO		
	3.12.1	If yes, furnish particulars			
3.13		spouse, child or parent of the company's directors, trustees, ma lders or stakeholders in service of the state?	nagers, principle YES		
	3.13.1	If yes, furnish particulars			
3.14	of this co	or any of the directors, trustees, managers, principle shareholders ompany have any interest in any other companies or business wl ling for this contract?			
	3.14.1	If yes furnish particulars:			

4. Full details of directors / trustees / members / shareholders.

Full Name	Identity Number	Employee Number

# **CERTIFICATION**

I, THE UNDERSIGNED	
(NAME)	
CERTIFY THAT THE INFORMATION FURNISHE CORRECT.	D ON THIS DECLARATION FORM IS
I ACCEPT THAT THE STATE MAY ACT AGAINS PROVE TO BE FALSE.	ST ME SHOULD THIS DECLARATION
Signature	Date
Capacity	Name of Bidder

**MBD 6.1** 

# PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all bids invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

#### 1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all bids:
  - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
  - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2

- a) The value of this bid is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the **80/20** preference point system shall be applicable; or
- b) Either the 80/20 preference point system will be applicable to this tender
- 1.3 Points for this bid shall be awarded for:
  - (a) Price; and
  - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this bid are allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTOR	20
Total points for Price and B-BBEE must not exceed	100

- 1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the bid, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

#### 2. **DEFINITIONS**

- (a) "B-BBEE" means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "prices" includes all applicable taxes less all unconditional discounts;
- (h) "proof of B-BBEE status level of contributor" means:
  - 1) B-BBEE Status level certificate issued by an authorized body or person;
  - 2) A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
  - 3) Any other requirement prescribed in terms of the B-BBEE Act;
- "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (j) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

## 3. POINTS AWARDED FOR PRICE

#### 3.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 or 90/10

$$Ps = 80 \left( 1 - \frac{Pt - P\min}{P\min} \right)$$
 or  $Ps = 90 \left( 1 - \frac{Pt - P\min}{P\min} \right)$ 

Where

Ps = Points scored for price of bid under consideration

Pt = Price of bid under consideration

Pmin = Price of lowest acceptable bid

## 4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (90/10 system)	Number of points (80/20 system)
1	10	20
2	9	18
3	6	14
4	5	12
5	4	8
6	3	6
7	2	4
8	1	2
Non-compliant contributor	0	0

_				
5	חום	DECL	$\Lambda D \Lambda$	
Ð.		115	$\Delta R L$	

5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

6.	<b>B-BBEE</b>	STATUS	<b>LEVEL</b>	OF	CONTRIBUTOR	CLAIMED	IN	<b>TERMS</b>	OF
	PARAGR	<b>APHS 1.4</b>	AND 4.1						

6.1	B-BBEE Status Level of Contributor: =(maximum of 10 or 20 points)
	(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE
	status level of contributor.

## 7. SUB-CONTRACTING

7.1 Will any portion of the contract be sub-contracted?

(Tick applicable box)

YES	NO	

7.1.1			
<i>1</i>	If yes,	III I MIN	JULO

::\	The manage of the coule	
	subcontracted	.%
I)	what percentage of the contract will be	

ii)	The name of the sub-
	contractor

iii)	The B-BBEE status level of the sub-
	contractor

iv)	Whether the sub-contractor is an EME or QSE
	(Tick applicable box)

YES	NO	

v) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations,2017:

Designated Group: An EME or QSE which is at last 51% owned	EME	QSE
by:	$\sqrt{}$	$\sqrt{}$
Black people		
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		
Black people who are military veterans		
OR		
Any EME		
Any QSE		

8.	DECLARATION WITH REGARD TO COMPANY/FIRM	
8.1	Name of	
	company/firm:	
8.2	VAT registration number:	
8.3	Company registration number:	
8.4	TYPE OF COMPANY/ FIRM	
	□ Partnership/Joint Venture / Consortium	
	☐ One person business/sole propriety	
	□ Close corporation	
	□ Company	
	□ (Pty) Limited	
	[TICK APPLICABLE BOX]	
8.5	DESCRIBE PRINCIPAL BUSINESS ACTIVITIES	
8.6	COMPANY CLASSIFICATION	
0.0	□ Manufacturer	
	□ Supplier	
	□ Professional service provider	
	☐ Other service providers, e.g. transporter, etc.	
	[TICK APPLICABLE BOX]	

•	ed Accoun umber:								
Total business	number	of	•		compar	•	has	been	
company contribut	undersignersify difirm, certify or indicated pany/ firm fo	y that in par	the points	s claime 1.4 and	ed, based 6.1 of the	on the foregoing	B-BBE s	status leve icate, qual	el (
i) The i	nformation f	urnish	ed is true	and cor	rect;				
	oreference pated in para				cordance	with the	General	Condition	s a
para	e event of a graphs 1.4 a to the satis	and 6.1	1, the cor	ntractor	may be re	quired to	o furnish	documer	
iv) If the B-BBEE status level of fraudulent basis or any of the of purchaser may, in addition to ar			of the co				not bee		
·	•		·		emedy it r	·	<del>)</del> –		
(a)	disqualify	the pe	erson from	n the bid	emedy it r	ess;		d as a	
·	•	the pe	erson from	the bid	emedy it r	ess;		d as a	
(a)	disqualify recover c result of t cancel the	the pe osts, lo hat per e contr It of ha	erson from osses or c rson's cor ract and c oving to m	n the bid damage: nduct; claim an	emedy it r ding proce s it has in	ess; curred o	r suffere it has su	uffered	
(a) (b)	disqualify recover c result of t cancel the as a resu such cancel the cancel the as a resu such cancel the can	the personant of the control of the condition of the cond	erson from osses or or son's corract and or	the bid damage: nduct; claim an ake less der or o areholde stricted any o	emedy it r ding proce s it has in y damage s favourab	ess; curred o s which le arrang , its sha ectors w ational	r suffere it has su jements ureholder tho acteu Treasury a perio	uffered due to rs and d on a y from od not	

# DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS

This Municipal Bidding Document (MBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2017, the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

### 1. General Conditions

- 1.1. Preferential Procurement Regulations, 2017 (Regulation 8) make provision for the promotion of local production and content.
- 1.2. Regulation 8.(2) prescribes that in the case of designated sectors, organs of state must advertise such tenders with the specific bidding condition that only locally produced or manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for tenders referred to in paragraph 1.2 above, a two stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and B-BBEE.
- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

$$LC = [1 - x / y] * 100$$

Where

x is the imported content in Rand

y is the bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid as indicated in paragraph 4.1 below.

The SABS approved technical specification number SATS 1286:2011 is accessible on http://www.thedti.gov.za/industrial development/ip.jsp at no cost.

1.6. A bid may be disqualified if this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule) are not submitted as part of the bid documentation;

2. The stipulated minimum threshold(s) for local production and content (refer to Annex A of SATS 1286:2011) for this bid is/are as follows:

Description of services, works or goods

Stipulated minimum threshold

Item	Description	Minimum Threshold
A.1.	kWh, single phase, split, PLC meter – BS footprint with customer interface unit.	70%
A.2.	kWh, single phase, split, PLC meter – DIN with customer interface unit.	70%
A.3.	kWh, three phase, split, PLC meter with customer interface unit.	70%
B.3.	Meter, SMART, Electronic, single phase meters	50%

3. Does any portion of the goods or services offered have any imported content? (*Tick applicable box*)

YES	NO	

3.1 If yes, the rate(s) of exchange to be used in this bid to calculate the local content as prescribed in paragraph 1.5 of the general conditions must be the rate(s) published by SARB for the specific currency at 12:00 on the date of advertisement of the bid.

The relevant rates of exchange information is accessible on www.reservebank.co.za

Indicate the rate(s) of exchange against the appropriate currency in the table below (refer to Annex A of SATS 1286:2011):

Currency	Rates of exchange
US Dollar	
Pound Sterling	
Euro	
Yen	
Other	

NB: Bidders must submit proof of the SARB rate (s) of exchange used.

**4.** Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the dti must be informed accordingly in order for the dti to verify and in consultation with the AO/AA provide directives in this regard.

# LOCAL CONTENT DECLARATION (REFER TO ANNEX B OF SATS 1286:2011)

LOCAL CONTENT DECLARATION BY CHIEF FINANCIAL OFFICER OR OTHER LEGALLY RESPONSIBLE PERSON NOMINATED IN WRITING BY THE CHIEF EXECUTIVE OR SENIOR MEMBER/PERSON WITH MANAGEMENT RESPONSIBILITY (CLOSE CORPORATION, PARTNERSHIP OR INDIVIDUAL)

INI	RESPECT OF BID NO	
	SUED BY: (Procurement Authority / Name of Institution):	
2	The obligation to complete, duly sign and submit this declaration of to an external authorized representative, auditor or any other to behalf of the bidder.  Guidance on the Calculation of Local Content together with Local Templates (Annex C, D and E) is accessible on <a href="http://www.tldevelopment/ip.jsp">http://www.tldevelopment/ip.jsp</a> . Bidders should first complete Declaration E and the information on Declaration C. Declaration C should be submit documentation at the closing date and time of the bid in order the declaration made in paragraph (c) below. Declarations D as by the bidders for verification purposes for a period of at least 5 yellows by the duration of the contract.	hird party acting on Content Declaration odti.gov.za/industrial D. After completing nen consolidate the nitted with the bid der to substantiate and E should be keptears. The successful
l, t	ne undersigned,	(full names),
of	hereby declare, in my capacity as	
(a)	The facts contained herein are within my own personal knowledge	е.
(b)	I have satisfied myself that:  (i) the goods/services/works to be delivered in terms of the comply with the minimum local content requirements as speas measured in terms of SATS 1286:2011; and  The local content percentage (%) indicated below has been of formula given in clause 3 of SATS 1286:2011, the rates of exparagraph 4.1 above and the information contained in Declaration been consolidated in Declaration C:	ecified in the bid, and calculated using the change indicated in
Е	did price, excluding VAT (y)	R
	mported content (x), as calculated in terms of SATS 1286:2011	R
_	Stipulated minimum threshold for local content (paragraph 3 above)	

If the bid is for more than one product, the local content percentages for each product contained in Declaration C shall be used instead of the table above.

The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E.

- (d) I accept that the Procurement Authority / Institution has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.
- (e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Procurement Authority / Institution imposing any or all of the remedies as provided for in Regulation 14 of the Preferential Procurement Regulations, 2017 promulgated under the Preferential Policy Framework Act (PPPFA), 2000 (Act No. 5 of 2000).

SIGNATURE:	_ DATE:
WITNESS No. 1	DATE:
WITNESS No. 2	_ DATE:

													SATS 1286.2011
							Annex	. C					
							Anne	( C					
					Local	Content De	eclaration	- Summar	y Schedu	le			
(C1)	Tender No.											Note: VAT to be ex	ccluded from all
(C2)	Tender descrip											calculations	
(C3)	Designated pro												
(C4)	Tender Authori												
(C5)	Tendering Entit												
(C6)	Tender Exchang Specified local		Pula		EU		GBP						
(C7)	Specified local	content %			C	alculation of l	ocal contoni				Tond	er summary	
					Ca	Tender value	ocal content				Tena	er summary	
				Tender price	Exempted	net of			Local				
	Tender item	List of ite	ems	- each	imported	exempted	Imported	Local value	content %	Tender	Total tender	Total exempted	Total Imported
	no's			(excl VAT)	value	imported	value		(per item)	Qty	value	imported content	content
						content							
	(C8)	(C9)		(C10)	(C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)	(C18)	(C19)
									(C20) Total t	ender value	R		
	Signature of ter	nderer from Anne	ex B								t imported content		
								(C22) Total Te	nder value n	et of exemp	t imported content		
												l Imported content	
	_											Total local content	
	Date:									(C.	25) Average local c	ontent % of tender	%

# DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES

- 1 This Municipal Bidding Document must form part of all bids invited.
- It serves as a declaration to be used by municipalities and municipal entities in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- The bid of any bidder may be rejected if that bidder, or any of its directors have:
  - a. abused the municipality's / municipal entity's supply chain management system or committed any improper conduct in relation to such system;
  - b. been convicted for fraud or corruption during the past five years;
  - c. willfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
  - d. been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004).
- In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

Item	Question	Yes	No
4.1	Is the bidder or any of its directors listed on the National Treasury's Database of Restricted Suppliers as companies or persons prohibited from doing business with the public sector?  (Companies or persons who are listed on this Database were informed in writing of this restriction by the Accounting Officer/Authority of the institution that imposed the restriction after the <i>audi alteram partem</i> rule was applied).  The Database of Restricted Suppliers now resides on the National Treasury's website(www.treasury.gov.za) and can be accessed by clicking on its link at the bottom of the home page.	Yes	No
4.1.1	If so, furnish particulars:		
4.2	Is the bidder or any of its directors listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)?  The Register for Tender Defaulters can be accessed on the National Treasury's website ( <a href="www.treasury.gov.za">www.treasury.gov.za</a> ) by clicking on its link at the bottom of the home page.	Yes	No
4.2.1	If so, furnish particulars:		

# Radio Repeater and Antenna

4.3	Was the bidder or any of its directors convicted by a court of law outside the Republic of South Africa) for fraud or corrup years?		Yes	No		
4.3.1	If so, furnish particulars:					
4.4	Does the bidder or any of its directors owe any municipal ramunicipal charges to the municipality / municipal entity, or / municipal entity, that is in arrears for more than three mon	to any other municipality	Yes	No		
4.4.1	If so, furnish particulars:					
4.5	Was any contract between the bidder and the municipality / nother organ of state terminated during the past five years on a perform on or comply with the contract?		Yes	No		
4.7.1	If so, furnish particulars:					
	CERTIFICATION					
I, THE UNDERSIGNED (FULL NAME) CERTIFY THAT THE INFORMATION FURNISHED ON THIS DECLARATION FORM TRUE AND CORRECT.						
I ACCEPT THAT, IN ADDITION TO CANCELLATION OF A CONTRACT, ACTION MAY BE TAKEN AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE.						
Signa	ature	 Date	••••			
Posit	ion	Name of Bidder	•••••	Js367bW		

## CERTIFICATE OF INDEPENDENT BID DETERMINATION

- 1 This Municipal Bidding Document (MBD) must form part of all bids<sup>1</sup> invited.
- Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).<sup>2</sup> Collusive bidding is a *pe* se prohibition meaning that it cannot be justified under any grounds.
- Municipal Supply Regulation 38 (1) prescribes that a supply chain management policy must provide measures for the combating of abuse of the supply chain management system, and must enable the accounting officer, among others, to:
  - a. take all reasonable steps to prevent such abuse;
  - b. reject the bid of any bidder if that bidder or any of its directors has abused the supply chain management system of the municipality or municipal entity or has committed any improper conduct in relation to such system; and
  - c. cancel a contract awarded to a person if the person committed any corrupt or fraudulent act during the bidding process or the execution of the contract.
  - 4 This MBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
  - 5 In order to give effect to the above, the attached Certificate of Bid Determination (MBD 9) must be completed and submitted with the bid:

<sup>&</sup>lt;sup>1</sup> Includes price quotations, advertised competitive bids, limited bids and proposals.

<sup>&</sup>lt;sup>2</sup> Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

#### CERTIFICATE OF INDEPENDENT BID DETERMINATION

i, the undersigned, in submitting the accompanying bid.	
(Bid Number and Description)	
in response to the invitation for the bid made by:	
(Name of Municipality / Municipal Entity)	
do hereby make the following statements that I certify to be true and complete in every respect:	
I certify, on behalf of:	_that:
(Name of Bidder)	

- 1. I have read and I understand the contents of this Certificate;
- 2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
- 3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
- 4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign, the bid, on behalf of the bidder;
- 5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
  - (a) has been requested to submit a bid in response to this bid invitation;
  - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
  - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder

- 6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium³ will not be construed as collusive bidding.
- 7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
  - (a) prices;
    - (b) geographical area where product or service will be rendered (market allocation)
  - (c) methods, factors or formulas used to calculate prices;
  - (d) the intention or decision to submit or not to submit, a bid;
  - (e) the submission of a bid which does not meet the specifications and conditions of the bid; or
  - (f) bidding with the intention not to win the bid.
- 8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

<sup>&</sup>lt;sup>3</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

Signature	Date	
Position	Name of Bidder	

Js9141

**BLANK**