EPHRAIM MOGALE LOCAL MUNICIPALITY



REQUEST FOR GOODS & SERVICES (R30 000 UP TO R300 000)

QUOTATION NO: 8/2/166

PROJECT DESCRIPTION: SUPPLY AND DELIVERY OF 3 TOOLBOXES WITH TOOLS.

	PREPARED FOR AND BY	PREPARED FOR AND BY							
	THE MUNICIPAL MANAGER.								
	EPHRAIM MOGALE LOCAL MUNICIPALITY P O Box 111 MARBLE HALL 0450								
	Tel: (013) 261 8400 Fax: (013) 261 2985								
Na	me of Bidder :								
cs	SD No :								

SUBMISSION DETAILS

TENDER BOX:

Total Bid Price

EPHRAIM MOGALE LOCAL MUNICIPALITY 2 FICUS STREET (ENTRANCE TO FINANCE AND TECHNICAL BUILDING) MARBLE HALL, 0450 (LIMPOPO)

CLOSING DATE AND TIME:

THURSDAY 14 NOVEMBER 2024 @ 12H00

EPHRAIM MOGALE LOCAL MUNICIPALITY

QUOTATION NO: 8/2/166

PROJECT DESCRIPTION: SUPPLY AND DELIVERY OF 3 TOOLBOXES WITH TOOLS

Ephraim Mogale Local Municipality hereby invites quotations from suitably qualified and interested service providers who meet the specifications for the **Supply and delivery of 3 Toolboxes with tools.**

Quotations may only be submitted on the quotation document issued. The quotation document will be available at the Supply Chain Management Unit of the Ephraim Mogale Local Municipality and on the Municipal website www.ephraimmogalelm.gov.za

Quotations must be in writing and must clearly indicate the relevant supply or service for which is being quoted and be submitted in a sealed envelope be dropped in the tender box as indicated on the cover page. Late or unmarked quotations will not be considered. Bids transmitted by fax or e-mail will not be accepted, although Ephraim Mogale Local Municipality accepts no responsibility for ensuring that quotations are timeously received by Ephraim Mogale Local Municipality.

Quotations will not be considered unless the following information has been furnished:

- i. The Central Supplier Database report with an active "MAAA" number and active Business status (CSD supplier number to be indicated on the cover page and MBD 1);
- ii. PIN to verify status issued by SARS (indicated on the MBD 1);
- iii. Proof of Municipal Rates & Taxes Account for the company and that of the company directors not older than 3 (three) months and should not be in arrears for more than 90 days or valid lease agreement in case of company renting along municipal account of the leased property or a letter from local municipality that confirms that services are not levied/charged which should not be older than three months;
- iv. If a natural person, whether he or she is or not in the service of the state, or has been in the service of the state in the previous twelve months; or
- v. if not a natural person, whether any of its directors, managers, principal shareholders or stakeholders is in the service of the state, or has been in the service of the state in the previous twelve months; or
- vi. Whether a spouse, child or parent of the provider or of a director, manager, shareholder or stakeholder referred to in (vi) is in the service of the state or has been in the service of the state in the previous twelve months.
- vii. Fully completed and signed municipal bidding documents (MBD1, MBD4, MBD6.1, MBD8, and MBD9). Your quotation will be rejected if the above forms are not fully completed and signed.

Evaluation of Quotations

Notice is drawn to the fact that the awarding of this quotation will be in terms of the Supply Chain Management Policy of the Ephraim Mogale Local Municipality and prescribed evaluation criteria in terms of the Municipal Supply Chain Management Regulations, 2005 and Preferential Procurement Regulations of 2022.

Evaluation points

Preference points for this bid shall be awarded for:

- (a) Price; and
- (b) Specific goals.

The maximum points for this quotation are allocated as follows:

	Points
Price	80
Specific Goals	20
Total points for price and Specific Goals	100

Pricing and Validity

The pricing of the quotation should be in South African Rands (ZAR) and be valid for 90 days from the closing date.

For any administrative enquiries you can contact the Supply Chain Management Unit at 013 261 8450/8462/8496/8448/8541/ephmlmsupplychain@emogalelm.gov.za Technical enquiries you may contact Mr. J. Durie at 013 261 8454 / jdurie@emogalelm.gov.za.

Ephraim Mogale Local Municipality does not bind itself to accept the lowest or any bid and reserves the right to accept any bid as a whole or in part.

MOROPA M.E MUNICIPAL MANAGER

EPHRAIM MOGALE LOCAL MUNICIPALITY

QUOTATION NO: 8/2/166

PROJECT DESCRIPTION: SUPPLY AND DELIVERY OF 3 TOOLBOXES WITH TOOLS

1. SCOPE OF WORK

Ephraim Mogale Local Municipality hereby invites quotations from suitably qualified and interested service providers who meet the specifications for the **Supply and Delivery of 3** toolboxes with tools.

SCOPE OF WORKS

No	Descri	ption	Unit	Qty
1	Toolb	ох		
	Specif	ications		
	1.	Steel or aluminium		
	2.	Powder coated		
	3.	5 tray cantilever box	Set	3
	4.	20litre capacity		
	5.	ISO 9001		
	6.	Minimum dimensions: Length 500mm x Width 290mm x Height 290mm.		
2	Socke	ets C19		
	Specif	ications		
	1.	Socket type C-profile		
	2.	½" square drive		
	3.	Socket points 6		
	4.	Material – chrome vanadium steel	Cot	
	5.	Material – chrome molybdenum/vanadium steel - 31CrV3	Set	3
	6.	Drop forged, entirely hardened and tempered		
	7.	Industrial application		
	8.	Chrome plated according to EN12540		
	9.	Sizes: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 26, 27, 29, 30, 32		

3	Ratchet for sockets item 2 (1993Z-94)		
	1. Reversible		
	2. 1/2" inch drive		
	3. Special tool steel	No	3
	4. Body dropped forged and tempered		
	5. Chrome plated according to EN12540		
	6. According to ISO 3315		
4	Sliding "T" handle		
	1. 1/2" inch drive		
	2. Chrome Vanadium	No	2
	3. entirely hardened and tempered	INO	3
	4. Chrome plated according to EN12540		
	5. According to ISO 3315		
5	Extension 250mm for sockets		
	1. 1/2" inch drive		
	2. Chrome Vanadium		
	Dropped forged, entirely hardened and tempered	No	3
	Chrome plated according to EN12540		
	5. According to ISO 3316		
	6. Length 250mm		
6	Universal joint 1/2		
	1. 1/2" inch drive		
	2. Chrome Vanadium	No	3
	3. Dropped forged, entirely hardened and tempered	INO	3
	4. Chrome plated according to EN12540		
	5. According to ISO 3316		
7	Pliers		
	Combination Pliers (EVP0209)		
	1. Insulated 1000Volt	No	3
	2. 230mm	INU	3
	3. Suitable for hard and soft wire		
	Dropped forged steel		
<u> </u>		1	l

	Pliers Long I	Nosa		
		Nose		
	1.	1036		
	• • •	Insulated 1000Volt		
ı	2.	200mm(EVL0208) 1000Volt	No	3
	3.	Suitable for hard and soft wire		
	4.	Dropped forged steel		
	5.	Guaranteed cutting edge hardness		
9	Pliers			
	Side C	Cutter		
	1.	Insulated 1000Volt		
	2.	210mm(EVC0208)	No	3
	3.	Head 40mm	INO	3
	4.	Guaranteed cutting edge hardness		
	5.	Suitable for hard and soft wire		
	6.	No 55 Carbon steel		
10	Crimp	ing tool – Lobster type		
	1.	1.25 – 16mm²		
	2.	Ratchet release	No	3
	3.	280mm length		
	4.	Dropped forged jaws		
11	Utility	knife		
	1.	Retractable blade		
	2.	Spare blade storage in handle	No	3
	3.	140mm	INO	3
	4.	Replaceable blades		
	5.	Metal overlap on top and bottom of blade entry		
12	Junior	Hacksaw		
	1.	Adjustable blade tension		
	2.	150-155mm	No	3
	3.	High quality HSS blade		
	4.	Comfortable moulded handle		

	E Aluminium ataul construction		
	Aluminium steel construction		
13	Hacksaw - Professional		
	1. 300mm(HSP0312)		
	2. High grade Bi-metal blade	No	3
	Easily adjustable blade tension adjusted at the bottom of the handle		
	4. Tension Adjustment screw at 90° with blade		
14	Hammer		
	1. Claw		
	2. 450-500gram	No	
	3. Carbon steel head	No	3
	4. One piece steel shaft and head		
	5. Heavy duty shock absorbing rubber handle		
15	7 Piece Screw driver set		
	1. Insulated		
	2. VDE, EN60900 and 1000V AC approved		
	IEC stepped insulation for greatly improved terminal access	Set	3
	Dropped forged Chrome Vanadium Steel with hardened tips		
	5. Flat (8 x 150mm, 6 x 145mm, 5 x 125, No1 x 125mm, 4 x 100mm)		
	6. Phillips (5 x 125mm(no 2), 3 X 75mm)		
16	Spanners – set – 17 piece		
	Ring flat offset Combination wrench		
	2. Chrome Vanadium		
	3. Metric according to ISO 7738		
	4. Off set	Set	3
	5. Sizes = 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22		3
	6. Chrome plated according to EN12540		
	7. Dropped forged		
	8. Entirely hardened and tempered		
			l

17	Wrench, adjustable	No	3
	1. 150mm		
	2. Chrome Vanadium		
	3. Chrome plated according to EN12540		
	4. Made according to ISO 6787		
	Dropped forged and entirely hardened and tempered		
18	Wrench, adjustable		
	6. 300mm		
	7. Chrome Vanadium		
	8. Chrome plated according to EN12540	No	3
	9. Made according to ISO 6787		
	10. Dropped forged and entirely hardened and tempered		
19	Allen keys		
	Hexagon wrenches		
	2. Chrome Vanadium		
	3. Entirely hardened and tempered	Set	3
	4. Nickel plated	001	
	5. According to ISO 2936		
	6. Metric		
	7. Sizes 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm		
20	Grip Pliers (Vice grip)		
	1. 250mm		
	2. Locking pliers	No	3
	3. Carbon steel Nickle plated		
	Quick release toggle		
21	Universal pliers (Waterpump pliers)		
	 Double milled groove joint for extra grip and safety. 		
	2. 250mm to 300mm	No	3
	3. High grade carbon steel		
	4. Insulated handle		
	5. Cushioned hand grips for comfort		

22	Measuring tape		
	1. 5 meter		
	2. Class 1 accuracy		
	Rubberised moulded housing		
	Non-slip brake for bladed with easy release	no	3
	5. Reinforced hook		
	6. Magnetic tip		
	7. Nylon coating on tape		
23	File – Half round		
	1. 150mm		
	2. 2 nd cut		
	3. Slim taper	No	3
	4. High carbon steel		
	5. Plastic handle		
24	File – flat		
	1. 150mm		
	2. 2 nd cut		
	3. Slim taper	No	3
	4. High carbon steel		
	5. Plastic handle		
25	File – round		
	1. 150mm		
	2. 2 nd cut		
	3. Slim taper	No	3
	4. High carbon steel		
	5. Plastic handle		
26	File – Triangle		
	1. 150mm		
	2. 2 nd cut	NIa	
	3. Slim taper	No	3
	4. High carbon steel		
	5. Plastic handle		
		ĺ	

27	Headlamp		
	Single LED light source		
	2. 200Lumens (130meter)		
	3. Colour temperature 6000-7500K		
	4. Adjustable focus	No	2
	5. IP 54	INO	3
	6. Must be possible to replace battery		
	Must use a single 1.5V AA battery as power source		
	8. Run time on 200Lumens 4.5hours		

- All tools must be SABS, VDE or EN approved
- Minimum of 12 months warranty documents to be submitted upon delivery.

EPHRAIM MOGALE LOCAL MUNICIPALITY

1 QUOTATION NO: 8/2/166

PRICING SCHEDULE:

PROJECT DESCRIPTION: SUPPLY AND DELIVERY OF 3 TOOLBOXES AND TOOLS

No	Description	Unit	Qty	Price	Total
1	Toolbox				
	Specifications				
	Steel or aluminium				
	2. Powder coated				
	3. 5 tray cantilever box	Set	3		
	4. 20litre capacity				
	5. ISO 9001				
	Minimum dimensions: Length 500mm x Width 290mm x Height 290mm.				
2	Sockets C19				
	Specifications				
	Socket type C-profile				
	2. ½" square drive				
	3. Socket points 6				
	4. Material – chrome vanadium steel	Cot	2		
	 Material – chrome molybdenum/vanadium steel - 31CrV3 	Set	3		
	6. Drop forged, entirely hardened and tempered				
	7. Industrial application				
	8. Chrome plated according to EN12540				
	9. Sizes: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 26, 27, 29, 30, 32				
3	Ratchet for sockets item 2 (1993Z-94)				
	1. Reversible				
	2. 1/2" inch drive	No	3		
	3. Special tool steel				
	4. Body dropped forged and tempered				

	5. Chrome plated according to EN12540				
	6. According to ISO 3315				
4	Sliding "T" handle				
	1. 1/2" inch drive				
	2. Chrome Vanadium	No	3		
	3. entirely hardened and tempered	INO	3		
	4. Chrome plated according to EN12540				
5	5. According to ISO 3315 Extension 250mm for sockets				
	1. 1/2" inch drive				
	2. Chrome Vanadium				
	3. Dropped forged, entirely hardened and tempered	No	3		
	Chrome plated according to EN12540				
	5. According to ISO 3316				
	6. Length 250mm				
6	Universal joint ½				
	1. 1/2" inch drive				
	2. Chrome Vanadium	No	2	3	
	3. Dropped forged, entirely hardened and tempered	No	3		
	4. Chrome plated according to EN12540				
	5. According to ISO 3316				
7	Pliers				
	Combination Pliers (EVP0209)				
	1. Insulated 1000Volt				
	2. 230mm	No	3		
	3. Suitable for hard and soft wire				
	4. Dropped forged steel				
0	5. Guaranteed cutting edge hardness				
8	Pliers				
	Long Nose				
	Insulated 1000Volt				
	2. 200mm(EVL0208) 1000Volt	No	3		
	3. Suitable for hard and soft wire				
	4. Dropped forged steel				
	5. Guaranteed cutting edge hardness				

Side Cutter	9	Pliers			
2. 210mm(EVC0208) 3. Head 40mm 4. Guaranteed cutting edge hardness 5. Suitable for hard and soft wire 6. No 55 Carbon steel 10 Crimping tool – Lobster type 1. 1.25 – 16mm² 2. Ratchet release 3. 280mm length 4. Dropped forged jaws 11 Utility knife 1. Retractable blade 2. Spare blade storage in handle 3. 140mm 4. Replaceable blades 5. Metal overlap on top and bottom of blade entry 12 Junior Hacksaw 1. Adjustable blade tension 2. 150-155mm 3. High quality HSS blade 4. Comfortable moulded handle 5. Aluminium steel construction 13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw		Side Cutter			
3. Head 40mm 4. Guaranteed cutting edge hardness 5. Suitable for hard and soft wire 6. No 55 Carbon steel 10 Crimping tool – Lobster type 1. 1.25 – 16mm² 2. Ratchet release 3. 280mm length 4. Dropped forged jaws 11 Utility knife 1. Retractable blade 2. Spare blade storage in handle 3. 140mm 4. Replaceable blades 5. Metal overlap on top and bottom of blade entry 12 Junior Hacksaw 1. Adjustable blade tension 2. 150-155mm 3. High quality HSS blade 4. Comfortable moulded handle 5. Aluminium steel construction 13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw		1. Insulated 1000Volt		0	
3. Head 40mm 4. Guaranteed cutting edge hardness 5. Suitable for hard and soft wire 6. No 55 Carbon steel 10 Crimping tool – Lobster type 1. 1.25 – 16mm² 2. Ratchet release 3. 280mm length 4. Dropped forged jaws 11 Utility knife 1. Retractable blade 2. Spare blade storage in handle 3. 140mm 4. Replaceable blades 5. Metal overlap on top and bottom of blade entry 12 Junior Hacksaw 1. Adjustable blade tension 2. 150-155mm 3. High quality HSS blade 4. Comfortable moulded handle 5. Aluminium steel construction 13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw		2. 210mm(EVC0208)	No.		
5. Suitable for hard and soft wire 6. No 55 Carbon steel 10 Crimping tool – Lobster type 1. 1.25 – 16mm² 2. Ratchet release 3. 280mm length 4. Dropped forged jaws 11 Utility knife 1. Retractable blade 2. Spare blade storage in handle 3. 140mm 4. Replaceable blades 5. Metal overlap on top and bottom of blade entry 12 Junior Hacksaw 1. Adjustable blade tension 2. 150-155mm 3. High quality HSS blade 4. Comfortable moulded handle 5. Aluminium steel construction 13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw		3. Head 40mm	INO	3	
6. No 55 Carbon steel 10 Crimping tool – Lobster type 1. 1.25 – 16mm² 2. Ratchet release 3. 280mm length 4. Dropped forged jaws 11 Utility knife 1. Retractable blade 2. Spare blade storage in handle 3. 140mm 4. Replaceable blades 5. Metal overlap on top and bottom of blade entry 12 Junior Hacksaw 1. Adjustable blade tension 2. 150-155mm 3. High quality HSS blade 4. Comfortable moulded handle 5. Aluminium steel construction 13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw		4. Guaranteed cutting edge hard	ness		
10 Crimping tool – Lobster type 1. 1.25 – 16mm² 2. Ratchet release 3. 280mm length 4. Dropped forged jaws 11 Utility knife 1. Retractable blade 2. Spare blade storage in handle 3. 140mm 4. Replaceable blades 5. Metal overlap on top and bottom of blade entry 12 Junior Hacksaw 1. Adjustable blade tension 2. 150-155mm 3. High quality HSS blade 4. Comfortable moulded handle 5. Aluminium steel construction 13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw		5. Suitable for hard and soft wire			
1. 1.25 – 16mm² 2. Ratchet release 3. 280mm length 4. Dropped forged jaws 11 Utility knife 1. Retractable blade 2. Spare blade storage in handle 3. 140mm 4. Replaceable blades 5. Metal overlap on top and bottom of blade entry 12 Junior Hacksaw 1. Adjustable blade tension 2. 150-155mm 3. High quality HSS blade 4. Comfortable moulded handle 5. Aluminium steel construction 13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw					
2. Ratchet release 3. 280mm length 4. Dropped forged jaws 11 Utility knife 1. Retractable blade 2. Spare blade storage in handle 3. 140mm 4. Replaceable blades 5. Metal overlap on top and bottom of blade entry 12 Junior Hacksaw 1. Adjustable blade tension 2. 150-155mm 3. High quality HSS blade 4. Comfortable moulded handle 5. Aluminium steel construction 13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw	10	Crimping tool – Lobster type			
3. 280mm length 4. Dropped forged jaws 11 Utility knife 1. Retractable blade 2. Spare blade storage in handle 3. 140mm 4. Replaceable blades 5. Metal overlap on top and bottom of blade entry 12 Junior Hacksaw 1. Adjustable blade tension 2. 150-155mm 3. High quality HSS blade 4. Comfortable moulded handle 5. Aluminium steel construction 13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw		1. 1.25 – 16mm²			
4. Dropped forged jaws 11 Utility knife 1. Retractable blade 2. Spare blade storage in handle 3. 140mm 4. Replaceable blades 5. Metal overlap on top and bottom of blade entry 12 Junior Hacksaw 1. Adjustable blade tension 2. 150-155mm 3. High quality HSS blade 4. Comfortable moulded handle 5. Aluminium steel construction 13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw		2. Ratchet release	No	3	
11 Utility knife 1. Retractable blade 2. Spare blade storage in handle 3. 140mm 4. Replaceable blades 5. Metal overlap on top and bottom of blade entry 12 Junior Hacksaw 1. Adjustable blade tension 2. 150-155mm 3. High quality HSS blade 4. Comfortable moulded handle 5. Aluminium steel construction 13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw		3. 280mm length			
11 Utility knife 1. Retractable blade 2. Spare blade storage in handle 3. 140mm 4. Replaceable blades 5. Metal overlap on top and bottom of blade entry 12 Junior Hacksaw 1. Adjustable blade tension 2. 150-155mm 3. High quality HSS blade 4. Comfortable moulded handle 5. Aluminium steel construction 13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw		4. Dropped forged jaws			
2. Spare blade storage in handle 3. 140mm 4. Replaceable blades 5. Metal overlap on top and bottom of blade entry 12 Junior Hacksaw 1. Adjustable blade tension 2. 150-155mm 3. High quality HSS blade 4. Comfortable moulded handle 5. Aluminium steel construction 13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw	11				
3. 140mm 4. Replaceable blades 5. Metal overlap on top and bottom of blade entry 12 Junior Hacksaw 1. Adjustable blade tension 2. 150-155mm 3. High quality HSS blade 4. Comfortable moulded handle 5. Aluminium steel construction 13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw		Retractable blade			
3. 140mm 4. Replaceable blades 5. Metal overlap on top and bottom of blade entry 12 Junior Hacksaw 1. Adjustable blade tension 2. 150-155mm 3. High quality HSS blade 4. Comfortable moulded handle 5. Aluminium steel construction 13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw		2. Spare blade storage in handle	No	0	
5. Metal overlap on top and bottom of blade entry 12 Junior Hacksaw 1. Adjustable blade tension 2. 150-155mm 3. High quality HSS blade 4. Comfortable moulded handle 5. Aluminium steel construction 13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw		3. 140mm	INO	3	
12 Junior Hacksaw 1. Adjustable blade tension 2. 150-155mm 3. High quality HSS blade 4. Comfortable moulded handle 5. Aluminium steel construction 13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw		4. Replaceable blades			
1. Adjustable blade tension 2. 150-155mm 3. High quality HSS blade 4. Comfortable moulded handle 5. Aluminium steel construction 13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw			m of blade entry		
2. 150-155mm 3. High quality HSS blade 4. Comfortable moulded handle 5. Aluminium steel construction 13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw	12	Junior Hacksaw			
3. High quality HSS blade 4. Comfortable moulded handle 5. Aluminium steel construction 13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw		Adjustable blade tension			
3. High quality HSS blade 4. Comfortable moulded handle 5. Aluminium steel construction 13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw		2. 150-155mm	No	3	
5. Aluminium steel construction 13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw		3. High quality HSS blade	140	3	
13 Hacksaw – Professional 1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw		4. Comfortable moulded handle			
1. 300mm(HSP0312) 2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw					
2. High grade Bi-metal blade 3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw	13	Hacksaw – Professional			
3. Easily adjustable blade tension adjusted at the bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw		1. 300mm(HSP0312)			
bottom of the handle 4. Tension Adjustment screw at 90° with blade 14 Hammer 1. Claw		2. High grade Bi-metal blade	No	3	
14 Hammer 1. Claw			on adjusted at the		
1. Claw			90º with blade		
No 3	14	Hammer			
2. 450-500gram No 3		1. Claw		_	
		2. 450-500gram	No	3	
3. Carbon steel head		3. Carbon steel head			

	4.	One piece steel shaft and head			
	5.	Heavy duty shock absorbing rubber handle			
15	7 Piec	e Screw driver set			
	1.	Insulated			
	2.	VDE, EN60900 and 1000V AC approved			
	3.	IEC stepped insulation for greatly improved terminal access	Set	3	
	4.	Dropped forged Chrome Vanadium Steel with hardened tips			
	5.	Flat (8 x 150mm, 6 x 145mm, 5 x 125, No1 x 125mm, 4 x 100mm)			
16		Phillips (5 x 125mm(no 2), 3 X 75mm) ners – set – 17 piece			
	1.	Ring flat offset Combination wrench			
	2.	Chrome Vanadium			
	3.	Metric according to ISO 7738			
	4.	Off set	Set	3	
	5.	Sizes = 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22	001	Ü	
	6.	Chrome plated according to EN12540			
	7.	Dropped forged			
		Entirely hardened and tempered			
17	Wrenc	ch, adjustable			
	1.	150mm			
	2.	Chrome Vanadium			
	3.	Chrome plated according to EN12540	No	3	
	4.	Made according to ISO 6787			
		Dropped forged and entirely hardened and tempered			
18	Wrenc	ch, adjustable			
	1.	300mm			
	2.	Chrome Vanadium			
	3.	Chrome plated according to EN12540	No	3	
	4.	Made according to ISO 6787			
	5.	Dropped forged and entirely hardened and tempered			

19	Allen I	keys			
		1. Hexagon wrenches			
		2. Chrome Vanadium			
		3. Entirely hardened and tempered			
		4. Nickel plated	Set	3	
		5. According to ISO 2936			
		6. Metric			
		7. Sizes 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm			
20	Grip P	liers (Vice grip)			
	1.	250mm			
	2.	Locking pliers	No	3	
	3.	Carbon steel Nickle plated			
		Quick release toggle			
21		sal pliers (Waterpump pliers)			
	1.	Double milled groove joint for extra grip and safety.			
	2.	250mm to 300mm	No	3	
	3.	High grade carbon steel			
	4.	Insulated handle			
00	5.				
22		ring tape			
	1.	5 meter			
	2.	Class 1 accuracy			
	3.	Rubberised moulded housing	no	3	
	4.	Non-slip brake for bladed with easy relaes			
	5.	Reinforced hook			
	6.	Magnetic tip			
00	7.	, ,			
23		Half round			
		150mm			
		2 nd cut	No	3	
		Slim taper			
	4.	High carbon steel			
	5.	Plastic handle			

24	File –	flat					
	1.	150mm					
	2.	2 nd cut	Ma	•			
	3.	Slim taper	No	3			
	4.	High carbon steel					
	5.	Plastic handle					
25	File –	round					
	1.	150mm					
	2.	2 nd cut	No	3			
	3.	Slim taper	INO	3			
	4.	High carbon steel					
		Plastic handle					
26	File –	Triangle					
	1.	150mm					
	2.	2 nd cut	No	3			
	3.	Slim taper	INO	3			
	4.	High carbon steel					
	5.						
27	Headl	amp					
	1.	Single LED light source					
	2.	200Lumens (130meter)					
	3.	Colour temperature 6000-7500K					
	4.	Adjustable focus	No	3			
	5.	IP 54					
	6.	Must be possible to replace battery					
	7.	Must use a single 1.5V AA battery as power source					
	8.	Run time on 200Lumens 4.5hours					
					Sub-Total		
					VAT		
					TOTAL		

Conditions:

- All prices quoted should be VAT inclusive (for Vat vendors)
 Prices should be valid for a 90-day period.
- If the pricing schedule is not signed the quotation will not be considered

SIGNATURE	DATE
Business Address:	
Email Address:	
Tel / Cell No:	
Contact Person:	
Name of Bidder:	

PART A INVITATION TO BID

MBD 1

YOU ARE HEREBY INVITED TO BID FOR I		NTS OF THE EPHR		OGA	LE LOCAL MUN	NICIP	ALITY
BID NUMBER: 8/2/166							
DESCRIPTION SUPPLY AND DELIVERY					00NTD 4 0T F0		MDDZ)
BID RESPONSE DOCUMENTS MAY BE			WKIII	EN	CONTRACT FO	KIVI (I	MRD7).
SITUATED AT;	DEFOSITED	IN THE BID BOX					
EPHRAIM MOGALE LOCAL MUNICIPALIT	Y (BUDGET &	R TREASURY AND	TECHN	IICA	L BUILDING)		
NO. 2 FICUS STREET	,				,		
MARBLE HALL8008							
0450							
NOTE: THE BID BOX IS ONLY ACCESSIBI	LE MON - FR	DURING OFFICE I	HOURS	(08	:00 TO 16:30)		
SUPPLIER INFORMATION							
NAME OF BIDDER							
POSTAL ADDRESS							
STREET ADDRESS		1				ı	
TELEPHONE NUMBER	CODE				NUMBER		
CELLPHONE NUMBER							
FACSIMILE NUMBER	CODE				NUMBER		
E-MAIL ADDRESS							
VAT REGISTRATION NUMBER		1					
TAX COMPLIANCE STATUS	TCS PIN:			O R	CSD No:	MA	AA
ARE YOU THE ACCREDITED					OU A FOREIGN		
REPRESENTATIVE IN SOUTH AFRICA	☐Yes	□No			D SUPPLIER FO GOODS /SERVIC		☐Yes ☐No
FOR THE GOODS /SERVICES /WORKS	IF YES EN	CLOSE PROOF]		_	KS OFFERED?	LO	[IF YES, ANSWER PART B:3]
OFFERED?	•	•					. ,
TOTAL NUMBER OF ITEMS OFFERED			TO	ATC	L BID PRICE		R
SIGNATURE OF BIDDER							
SIGNATURE OF BIDDER		•••••	. D	ATE			
CAPACITY UNDER WHICH THIS BID IS			1				•
SIGNED						<u> </u>	
BIDDING PROCEDURE ENQUIRIES MAY E	1) 10:					MAY BE DIRECTED TO:
DEPARTMENT CONTACT PERSON	SCM IOSEPH M	VDISHV			T PERSON		JOHAN DURIE 013 261 8454
TELEPHONE NUMBER			TELEPHONE NUMBER FACSIMILE NUMBER			013 261 2985	
FACSIMILE NUMBER	013 261 64				DDRESS		durie@emogalelm.gov.za
E-MAIL ADDRESS		emogalelm.gov.za	L-IVIA	/\	סטוורסס		adnowoniogaloini.gov.za
L-MINIC ADDITION	_ jiiiauisiia@	omogai o mi.gov.za	<u> </u>				

PART B TERMS AND CONDITIONS FOR BIDDING

1.	RID SURWISSION:		
1.1.	BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CACCEPTED FOR CONSIDERATION.	ORRECT ADDRESS. LAT	re bids will not be
1.2.	ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PRO	OVIDED-(NOT TO BE RE	-TYPED) OR ONLINE
1.3.	THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREM PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GI AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CO	ENERAL CONDITIONS C	
2.	TAX COMPLIANCE REQUIREMENTS		
2.1	BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIG	ATIONS.	
2.2	BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONA SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPA		
2.3	APPLICATION FOR THE TAX COMPLIANCE STATUS (TCS) CERFILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL I THROUGH THE WEBSITE WWW.SARS.GOV.ZA.		
2.4	FOREIGN SUPPLIERS MUST COMPLETE THE PRE-AWARD QUE	STIONNAIRE IN PART B:	3.
2.5	BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TO	GETHER WITH THE BID.	
2.6	IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTR/SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.		, EACH PARTY MUST
2.7	WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTER (CSD), A CSD NUMBER MUST BE PROVIDED.	ED ON THE CENTRAL S	SUPPLIER DATABASE
3.	QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS		
3.1.	IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFR	ICA (RSA)?	☐ YES ☐ NO
3.2.	DOES THE ENTITY HAVE A BRANCH IN THE RSA?	[☐ YES ☐ NO
3.3.	DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN TI	HE RSA? [☐ YES ☐ NO
3.4.	DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA	\? [☐ YES ☐ NO
3.5.	IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATIO	ON?	☐ YES ☐ NO
CO	HE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT MPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICULTS. SISTER AS PER 2.3 ABOVE.		
	AILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY FINDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF		D.
SIGN	NATURE OF BIDDER:		
CAP	ACITY UNDER WHICH THIS BID IS SIGNED:		
DAT	E:		

DECLARATION OF INTEREST

- 1. No bid will be accepted from persons in the service of the state¹.
- 2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudicating authority and/or take an oath declaring his/her interest.

3. In order to give effect to the above, the following questionnaire must be completed

3.1	and submitted with the bid. Also select the applicable answers Full Name of bidder or his or her representative:	
O . 1		
3.2	Identity Number:	
3.3	Position occupied in the Company (director, trustee, shareholder²)	
3.4	Company Registration Number:	
3.5	Tax Reference Number:	
3.6	VAT Registration Number:	
3.7	The names of all directors / trustees / shareholders members, their individu numbers and state employee numbers must be indicated in paragraph 4 below	
3.8	Are you presently in the service of the state* YES	/ NO
	3.8.1 If yes, furnish particulars.	
11/10	CCM Pagulations: "in the convice of the state" magnete he	

- ¹MSCM Regulations: "in the service of the state" means to be –
- (a) a member of -
- (i) any municipal council;
- (ii) any provincial legislature; or
- (iii) the national Assembly or the national Council of provinces;
- (b) a member of the board of directors of any municipal entity;
- (c) an official of any municipality or municipal entity;
- (d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);
- (e) a member of the accounting authority of any national or provincial public entity; or (f) an employee of Parliament or a provincial legislature.
- ² Shareholder" means a person who owns shares in the company and is actively involved in the management of the company or business and exercises control over the company

3.9	Have you been in the service of the state for the past twelve months? YES/ NO _	
	3.9.1 If yes, furnish particulars	
3.10	Do you, have any relationship (family, friend, other) with person in the service of the state and who may be involved with the evaluation and or adjudication of this bid? YES \square / NO \square	
	3.10.1 If yes, furnish particulars	
		•
3.11	Are you, aware of any relationship (family, friend, other) between bidder and any persons in the service of the state who may be involved with the evaluation and adjudication of this bid? YES/ NO	S
	3.11.1 If yes, furnish particulars	
3.12	Are any of the company's directors, managers, principle shareholders or stakeholders in service of the state?	
	3.12.1 If yes, furnish particulars	
3.13	Are any spouse, child or parent of the company's directors, trustees, managers, principle shareholders or stakeholders in service of the state?	
	3.13.1 If yes, furnish particulars	
3.14	Do you or any of the directors, trustees, managers, principle shareholders, or stakeholders of this company have any interest in any other companies or business whether or not the are bidding for this contract?	y
	3.14.1 If yes furnish particulars:	

Identity Number

Employee

4. Full details of directors / trustees / members / shareholders.

Full Name

	-	Number
CERTIFICATIO	ON	
I, THE UNDERSIGNED		
(NAME)		
CERTIFY THAT THE INFORMATION FURNISHEI CORRECT.	O ON THIS DECLARAT	TION FORM IS
I ACCEPT THAT THE STATE MAY ACT AGAINS PROVE TO BE FALSE.	ST ME SHOULD THIS	DECLARATION

Date

Name of Bidder

Quote: 8/2/166

Signature

Capacity

MBD 6.1

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 To be completed by the organ of state

- a) The applicable preference point system for this tender is the **80/20** preference point system.
- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
 - (a) Price; and
 - (b) Specific Goals.

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. **DEFINITIONS**

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of incomegenerating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

80/20

$$Ps = 80\left(1 - \frac{Pt - Pmin}{Pmin}\right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration
Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 points is allocated for price on the following basis:

80/20

$$Ps = 80 \left(1 + \frac{Pt - P max}{P max}\right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender.

For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Means of Verification	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)
At least 51% Black ownership	Identification documents / CSD Report / CIPC Certificate	10	
At least 51% Women Ownership	Identification document / CSD Report / CIPC Certificate	5	
At least 51% People with Disability	Medical Report indicating disability	3	
At least 51% Youth ownership (18 to 35 Years of age)	Identification document / CSD Report / CIPC Certificate	2	

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3.	Name of company/firm					
4.4.	Company registration number:					
4.5.	TYPE OF COMPANY/ FIRM					
	 □ Partnership/Joint Venture / Consortium □ One-person business/sole propriety □ Close corporation 					

	Public Company
	Personal Liability Company
	(Pty) Limited
	Non-Profit Company
	State Owned Company
[TICK	APPLICABLE BOX

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
 - i) The information furnished is true and correct:
 - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
 - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
 - iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have
 - (a) disqualify the person from the tendering process;
 - recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME:	
DATE:	
ADDRESS:	

DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES

- 1 This Municipal Bidding Document must form part of all bids invited.
- It serves as a declaration to be used by municipalities and municipal entities in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- The bid of any bidder may be rejected if that bidder, or any of its directors have:
 - a. abused the municipality's / municipal entity's supply chain management system or committed any improper conduct in relation to such system;
 - b. been convicted for fraud or corruption during the past five years;
 - c. willfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
 - d. been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004).
- In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

Item	Question	Yes	No
4.1	Is the bidder or any of its directors listed on the National Treasury's Database of Restricted Suppliers as companies or persons prohibited from doing business with the public sector?	Yes	No
	(Companies or persons who are listed on this Database were informed in writing of this restriction by the Accounting Officer/Authority of the institution that imposed the restriction after the <i>audi alteram partem</i> rule was applied).		
	The Database of Restricted Suppliers now resides on the National Treasury's website(www.treasury.gov.za) and can be accessed by clicking on its link at the bottom of the home page.		
4.1.1	If so, furnish particulars:		
4.2	Is the bidder or any of its directors listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)? The Register for Tender Defaulters can be accessed on the National Treasury's website (www.treasury.gov.za) by clicking on its link at the bottom of the home page.	Yes	No

4.2.1	If so, furnish particulars:				
4.3	Was the bidder or any of its directors convicted by a court court of law outside the Republic of South Africa) for fraud during the past five years?		Yes	No	
4.3.1	If so, furnish particulars:				
4.4	Does the bidder or any of its directors owe any municipal municipal charges to the municipality / municipal entity, o municipality / municipal entity, that is in arrears for more to	or to any other	Yes	No	
4.4.1	If so, furnish particulars:	,			
4.5	Was any contract between the bidder and the municipality or any other organ of state terminated during the past five of failure to perform on or comply with the contract?		Yes	No	
4.7.1	If so, furnish particulars:				
	CERTIFICATION				
I, THE UNDERSIGNED (FULL NAME)					
I ACCEPT THAT, IN ADDITION TO CANCELLATION OF A CONTRACT, ACTION MAY BE TAKEN AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE.					
Signa	ature D	ate			
 Posit	ion N	ame of Bidder			

MBD 9

CERTIFICATE OF INDEPENDENT BID DETERMINATION

- 1 This Municipal Bidding Document (MBD) must form part of all bids¹ invited.
- Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).² Collusive bidding is a *pe* se prohibition meaning that it cannot be justified under any grounds.
- Municipal Supply Regulation 38 (1) prescribes that a supply chain management policy must provide measures for the combating of abuse of the supply chain management system, and must enable the accounting officer, among others, to:
 - a. take all reasonable steps to prevent such abuse;
 - b. reject the bid of any bidder if that bidder or any of its directors has abused the supply chain management system of the municipality or municipal entity or has committed any improper conduct in relation to such system; and
 - c. cancel a contract awarded to a person if the person committed any corrupt or fraudulent act during the bidding process or the execution of the contract.
 - 4 This MBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
 - 5 In order to give effect to the above, the attached Certificate of Bid Determination (MBD 9) must be completed and submitted with the bid:

¹ Includes price quotations, advertised competitive bids, limited bids and proposals.

² Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

CERTIFICATE OF INDEPENDENT BID DETERMINATION

I, the undersigned, in submitting the accompanying bid:	
(Bid Number and Description)	
in response to the invitation for the bid made by:	
(Name of Municipality / Municipal Entity)	
do hereby make the following statements that I certify to be true and complete in every respect:	
I certify, on behalf of:	
that: (Name of Bidder)	

- 1. I have read and I understand the contents of this Certificate;
- 2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
- 3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
- 4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign, the bid, on behalf of the bidder;
- 5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
 - (a) has been requested to submit a bid in response to this bid invitation;
 - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
 - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder

MBD 9

- 6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium³ will not be construed as collusive bidding.
- 7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
 - (a) prices;
 - (b) geographical area where product or service will be rendered (market allocation)
 - (c) methods, factors or formulas used to calculate prices;
 - (d) the intention or decision to submit or not to submit, a bid;
 - (e) the submission of a bid which does not meet the specifications and conditions of the bid; or
 - (f) bidding with the intention not to win the bid.
- 8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

³ Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

MBD 9

10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

Signature	Date
Position	Name of Bidder

END OF DOCUMENT